

FIG.1

ATM EQUIPMENT




FIG.2





FIG.3



## FIG.4

### (1) SETUP

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
AAL PARAMETER
AAL TRAFFIC DESCRIPTOR
BROADBAND TRANSMISSION CAPABILITY
ARRIVAL NUMBER
ARRIVAL SUBADDRESS
CONNECTION IDENTIFIER
QOS PARAMETER

### (2) CALLPROC

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
CONNECTION IDENTIFIER

### (3) ALERT

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
CONNECTION IDENTIFIER
ELAPSE IDENTIFIER

## FIG.5

### (1) CONNECT

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
CONNECTION IDENTIFIER

### (2) CONN-ACK

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH

### (3) RELEASE

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
REASON DISPLAY

### (4) RELEASE-COMP

PROTOCOL IDENTIFIER
CALL NUMBER
MESSAGE DESCRIPTION
MESSAGE LENGTH
REASON DISPLAY

2025 RELEASE UNDER E.O. 14176